

MATERIAL SAFETY DATA SHEET

Agricultural Products Group
 P.O.Box 13528,
 Research Triangle Park, NC 27709
 (919) 547-2000

EMERGENCY TELEPHONE NUMBERS:

BASF Corporation: 1 (800) 832-HELP

CHEMTREC: 1 (800) 424-9300

Product No.: 556161 Sanmite® 75 WP Miticide/Insecticide

Date Prepared: 11/16/1994 Date Revised: 9/17/2004

SECTION I

Trade Name: Sanmite® 75 WP Miticide/Insecticide

Chemical Name: See Section II - Ingredients

Synonyms: NC-129, NCI-129, BAS 300 11 I, BAS 9078 I, Pyridaben **Formula: C(19) H(25) Cl N(2) O S**

Chemical Family: Pyridazinone **Mol Wt: 364.9**

SECTION II - INGREDIENTS

COMPONENT	CAS NO.	%	PEL/TLV - SOURCE
2-tert-butyl-5-(4-tert-butylbenzylthio)-4-chloropyridazin-3(2H)-one*	96489-71-3	75	0.01 mg/m(3) BASF recommended
Inerts	None	25	Not established

*Common chemical name: Pyridaben

This formulation contains kaolin. Kaolin contains small amounts of crystalline silica. This formulation may contain more than 0.1% crystalline silica.

SARA Title III Section 313: Not listed

SECTION III - PHYSICAL DATA

BOILING/MELTING POINT@760mm Hg: N/A **pH: 8.7 - 8.8**

VAPOR PRESSURE mmHg @ 20°C: N/D

SPECIFIC GRAVITY OR BULK DENSITY: 15.6 lb/ft(3) packed **13.45 lb/ft(3) free fall**

SOLUBILITY IN WATER: Dispersible

APPEARANCE: Light tan powder **ODOR: Vanilla** **INTENSITY: Faint**

SECTION IV - FIRE AND EXPLOSION DATA

FLASH POINT (TEST METHOD): N/D **AUTOIGNITION TEMP: **See below**

FLAMMABILITY LIMITS IN AIR (% BY VOL): **LOWER: N/D** **UPPER: N/D**

NFPA 704 HAZARD CODES

HEALTH: 4 **FLAMMABLE: 3** **INSTABILITY: 1** **OTHER:**

NFPA 30 STORAGE CLASSIFICATION: Non flammable solid

EXTINGUISHING MEDIUM	Use water fog, foam, CO(2), or dry chemical extinguishing media.
SPECIAL FIREFIGHTING PROCEDURES	Firefighters should be equipped with self-contained breathing apparatus and turnout gear. Care should be taken to decontaminate firefighters and equipment.
UNUSUAL FIRE EXPLOSION HAZARDS	Explosive dust/air mixtures can form in atmospheres as low as 9% oxygen. Ignition energy required is as low as 15 millijoules. Typical dust/air mixtures capable of exploding contain 40 g per cubic meter. **Exotherm initiation temperature (Greiner oven): 394° C

SELECT ACRONYM KEY

N/A - Not available; N/D - Not determined; N/R - Not rated; N/E - Not established

SECTION V - HEALTH DATA**TOXICOLOGICAL TEST DATA:**

Rat, Acute Oral LD50 = 1930 mg/kg
Rat, Acute Dermal LD50 > 2000 mg/kg
Rat, Acute Inhalation LC50 (4 hour) = 0.09 mg/L
Rat, Acute Inhalation LC50 (1 hour) (calculated) = 0.36 mg/L
Rabbit, Eye Irritation - not irritating
Rabbit, Skin Irritation - Non irritating to skin
Guinea pig, Dermal Sensitizer - Not sensitizing

Pyridaben was found not to be teratogenic in two species tested, but at a maternally toxic dose the compound did produce only slight non-specific developmental effects in one species.

EFFECTS OF OVEREXPOSURE:

See Product Label and Directions For Use for additional precautionary statements.

Hazards to Humans and Domestic Animals

WARNING

May be fatal if inhaled. Do not breathe dust or spray mist. For handling activities, use dust/mist filtering respirator (MSHA/NIOSH approval numbers prefix TC-21C), or a NIOSH approved respirator with a NPR, or HE prefilter. Wear long-sleeved shirt and long pants, socks and shoes and waterproof gloves. Harmful if swallowed or absorbed through skin. Avoid contact with skin. Remove contaminated clothing and wash before reuse. Causes moderate eye irritation. Do not get in eyes or on clothing. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling.

For a minor component of the formulation:

Overexposure to crystalline silica results in silicosis, a lung disease characterized by coughing, difficult breathing, wheezing, scarring of the lungs, and repeated, non-specific chest illnesses. The International Academy for Research on Cancer (IARC) has classified crystalline silica in Group 1 (those agents with evidence of carcinogenicity to humans).

Existing medical conditions aggravated by exposure to this material: No information found for this mixture.

FIRST AID PROCEDURES

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Note to physician: This compound does not cause any definitive symptoms that would be diagnostic. No specific antidote is available. Treat the patient symptomatically. In case of medical emergencies, call 1-800-832-HELP.

SECTION VI - REACTIVITY DATA**STABILITY:** Stable under normal conditions; relatively unstable to light.**CONDITIONS TO AVOID:** Do not store with food, beverages, or animal feed.**CHEMICAL INCOMPATIBILITY:** Pyridaben is a reducing agent - AVOID OXIDIZERS**HAZARDOUS DECOMPOSITION PRODUCTS:** HCl, NO_x, SO_x, CO**HAZARDOUS POLYMERIZATION:** Does not occur**CONDITIONS TO AVOID:** N/A**CORROSIVE TO METAL:** No**OXIDIZER:** No**SECTION VII - PERSONAL PROTECTION**

PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions For Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170.

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:**Respiratory Protection:**

Operators, maintenance, or any worker potentially exposed to dust/mist must wear supplied air respirators or self-contained breathing apparatus.

Eye Protection:

Chemical goggles.

Protective Clothing:

Disposable hooded coveralls, such as tyvek, boots, and gloves.

Ventilation:

Dust collectors need to be designed to trap and hold the potentially explosive and toxic particles.

SECTION VIII - ENVIRONMENTAL DATA**ENVIRONMENTAL TOXICITY DATA**

For the active ingredient:

Bobwhite Quail, Oral LD50 > 2250 mg/kg

Mallard Duck, Oral LD50 > 2500 mg/kg

This pesticide is toxic to fish and aquatic invertebrates.

Consult label and Directions For Use for additional environmental hazards.

SARA 311/312 REPORTING**FIRE: Yes PRESSURE: No REACTIVITY: No ACUTE: Yes CHRONIC: Yes TPQ(lbs): 10,000****SPILL AND LEAK PROCEDURES:**

Emergency response workers should don SCBA with Level B protection if dusts will be generated. If possible, keep spilled material dry and recover for use. Spilled material may be carefully swept up and returned to original container.

HAZARDOUS SUBSTANCE SUPERFUND: No**RQ(lbs): None****WASTE DISPOSAL METHOD:**

All pesticide waste are considered acutely toxic. Dispose of in an approved manner (consult local authority) only as a last resort. Otherwise, apply according to label instructions. Consult label and Directions For Use.

HAZARDOUS WASTE 40CFR261: No**HAZARDOUS WASTE NUMBER:** N/A**CONTAINER DISPOSAL:**

Clean, uncontaminated, empty containers may be disposed of in a sanitary landfill or incinerated. Do not reuse empty container.

SECTION IX - SHIPPING DATA - PACKAGE AND BULK**D.O.T. PROPER SHIPPING NAME (49CFR172.101-102):**

Pesticide, solid, toxic, NOS (contains pyridaben)

HAZARDOUS SUBSTANCE**(49CFR CERCLA LIST):**

Not listed

RQ(lbs): None**D.O.T. HAZARD CLASSIFICATION (CFR 172.101-102):****PRIMARY**

Poison

SECONDARY**D.O.T. LABELS REQUIRED (49CFR172.101-102):**

Poison

**D.O.T. PLACARDS
REQUIRED (CFR172.504):**

Poison

**POISON CONSTITUENT
(49CFR172.203(K)):**

Pyridaben

BILL OF LADING DESCRIPTION

Pesticides, solid, toxic, NOS (contains pyridaben), 6.1, UN 2588, PG I, ERG 151

CC NO.:**UN/NA CODE:** UN 2588**SECTION X - ADDITIONAL INFORMATION****Sanmite® 75 WP Miticide/Insecticide**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand this label, find someone to explain it to you in detail.)

KEEP OUT OF REACH OF CHILDREN**WARNING/AVISO****Complete Label and Directions For Use are attached to the product.****Agricultural Use Requirements**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to supplemental labeling under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

BASF Corporation

Agricultural Products Group
P.O.Box 13528,
Research Triangle Park, NC 27709
(919) 547-2000

DISCLAIMER

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY BASF HEREUNDER ARE GIVEN GRATIS AND BASF ASSUMES NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.